

TERMINAL & CONNECTORS

CE  RoHS

ELEGANCE
POWER



หางปลากลมหุ้ม

- CE**  **RoHS**



Insulated Spade Terminals

หางปลาแจกหุ้ม


- CE**  **RoHS**



ITEM NO.	Wire Size (mm²)	DIMENSION (mm.)								COLOR	PCS/BAG	PCS/BOX	PRICE (BAHT)
		d2	W	F	L	H	d1	D	T				
SV1.25-3	1.5	3.2	5.7	6.5	21.2	10.0	1.7	4.2	0.7	Red	100	2,000	0.70
SV1.25-4S		4.3	6.4										0.70
SV1.25-5S		5.3	8.1										0.75
SV2-3.5S	2	3.7	5.7	6.5	21.2	10.0	2.3	4.7	0.7	Blue			0.85
SV2-4S		4.3	6.4										0.85
SV2-5S		5.3	8.1										0.85
SV3.5-4	4	4.3	8.0	7.7	25.3	13.0	2.9	6.2	0.9	Black		1,000	1.50
SV3.5-5		5.3											1.50
SV5.5-4S	6	4.3	8.3	7.0	25.5	13.0	3.4	6.5	0.9	Yellow			1.60
SV5.5-5		5.3	9.0										1.60
SV5.5-6L		6.5	12.0	12.0	31.7						800	2.20	

หางปลากลมเปลือย

- CE**  **RoHS**




ITEM NO.	Wire Size (mm²)	DIMENSION (mm.)								PCS/BAG	PCS/BOX	PRICE (BAHT)
		d2	W	F	L	H	d1	D	T			
RNB1.25-3.5L	1.5	3.7	8.0	7.0	15.8	4.8	1.7	3.4	0.7	100	5,000	0.80
RNB1.25-4L		4.3	8.0	7.0	15.8							0.80
RNB1.25-5		5.3										0.80
RNB2-3.5L	2.5	3.7	8.5	7.75	16.8	4.8	2.3	4.0	0.7			1.00
RNB2-4L		4.3										1.00
RNB2-5L		5.3	9.5	7.5	17.1							1.00
RNB2-6L		6.5	12.0	11.0	21.8							1.40
RNB2-8		8.5										1.40
RNB3.5-4	4	4.3	8.0	7.7	17.7	6.0	2.9	5.0	0.9			1.50
RNB3.5-5		5.3									1.50	
RNB3.5-6		6.5	12.0	9.4	21.4						1.80	
RNB5.5-4L	6	4.3	9.5	8.85	19.6	6.0	3.4	5.5	0.9		1.60	
RNB5.5-5		5.3									1.60	
RBN5.5-6		6.5	12.0	10.5	22.5						2.30	
RNB5.5-8		8.5	15.0	13.5	27.0						2.80	
RNB5.5-10		10.5									2.80	
RNB8-6S	10	6.5	12.0	9.3	23.8	8.5	4.5	7.2	1.1		5.00	
RNB8-8		8.5	15.0	13.8	29.8						5.80	
RNB8-10		10.5									5.50	
RNB14-6S	16	6.5	12.0	13.3	29.8	10.5	5.8	9.0	1.3		8.50	
RNB14-8		8.5	16.0	14.0	32.5						9.30	
RNB14-10		10.5									8.70	
RNB22-6L	25	6.5	16.5	13.5	33.7	12.0	8.3	11.5	1.5		13.50	
RNB22-8		8.5									13.50	
RNB22-10		10.5									13.50	
RNB38-6S	35	6.5	15.3	17.4	39.0	14.0	9.4	13.3	1.6		23.00	
RNB38-8S		8.5									23.00	
RNB38-10S		10.5									23.00	
RNB38-12		13.0	22.0	17.7	42.7						23.00	
RNB60-6	70	6.4	22.0	20.7	49.7	18.0	12.0	15.4	10		100	32.00
RNB60-8		8.4								32.00		
RNB60-10		10.5								32.00		
RNB60-12		13.0								32.00		
RNB70-6	95	6.4	22.0	20.0	51.0	19.0	13.5	17.5	10	100	42.00	
RNB70-8		8.4									42.00	
RNB70-10		10.5									42.00	
RNB70-12		13.0									42.00	

Non-Insulated Spade Terminals

หางปลาแจกเปลือย

- Terminals Material : Copper
- Plating : Tin plated




ITEM NO.	Wire Size (mm²)	DIMENSION (mm.)								PCS/BAG	PCS/BOX	PRICE (BAHT)
		d2	W	F	L	H	d1	D	T			
SNB1.25-3	1.5	3.2	5.7	6.5	16.0	4.8	1.7	3.4	0.7	100	5,000	0.70
SNB1.25-4S		4.3	6.4									0.70
SNB1.25-5S		5.3	8.1									0.75
SNB2-3.5S	2	3.7	5.7	6.5	16.0	4.8	2.3	4.0	0.7			0.80
SNB2-4S		4.3	6.4									0.80
SNB2-5S		5.3	8.1									0.80
SNB3.5-4	4	4.3	8.0	7.7	18.3	6.0	2.9	5.0	0.9		3,000	1.50
SNB3.5-5		5.3										1.50
SNB5.5-4S	6	4.3	8.3	7.0	18.5	6.0	3.4	5.5	0.9		2,000	1.50
SNB5.5-5		5.3	9.0									1.50
SNB5.5-6L		6.5	12.0	12.0	24.7						1,500	2.20

Insulated Cord End Terminals

ข้อต่อท้ายปลายสายแบบเดี่ยว

- Terminals Material : Copper
- Plating : Tin plated
- Insulation Material : Vinyl




ITEM NO.	Wire Size (mm²)	DIMENSION (mm.)						COLOR		PCS/BAG	PCS/BOX	PRICE (BAHT)
		F	L	W	H	D	C					
E0508	0.5	8.0	14.0	2.6	6.0	1.3	1.0	Orange	White	100	5,000	0.7
E7508	0.75	8.0	14.3	2.8	6.3	1.5	1.2	White	Blue		5,000	0.7
E1008	1.0	8.0	14.6	3.0	6.3	1.7	1.4	Yellow	Red		5,000	0.8
E1508	1.5	8.0	14.3	3.5	6.3	2.0	1.7	Red	Black		5,000	0.8
E2508	2.5	8.0	15.4	4.0	7.4	2.6	2.3	Blue	Gray		3,000	1.0
E4009	4.0	9.0	16.4	4.5	7.4	3.2	2.8	Gray	Orange		2,000	1.5
E6012	6.0	12.0	20.5	6.0	8.5	3.9	3.5	Black	Green		1,000	2.0
E10-18	10.0	18.0	26.8	7.5	8.8	4.9	4.5	Milky White	Brown		1,000	3.0
E16-18	16.0	18.0	28.0	8.7	10.0	6.2	5.8	Green	Milky White		500	5.0
E25-22	25.0	22.0	34.0	11.0	12.0	7.9	7.5	Brown	Black		200	8.0
E35-25	35.0	25.0	39.0	12.5	14.0	8.7	8.3	Gray			200	12.0
E50-25	50.0	25.0	41.0	15.0	16.0	10.9	10.3	Olive			100	16.0

Insulated Twin Cord End Terminals

ข้อต่อสายปลายสายแบบคู่

- Terminals Material : Copper
- Plating : Tin plated
- Insulation Material : Vinyl




ITEM NO.	Wire Size (mm ²)	DIMENSION (mm.)						COLOR	PCS/BAG	PCS/BOX	PRICE (BAHT)
		F	L	W	H	D	C				
TE7508	2 * 0.75	8.0	14.7	5.5	6.7	2.1	1.8	Gray	100	3,000	1.5
TE1008	2 * 1.0	8.0	15.1	5.5	7.1	2.3	2.0	Red		2,500	1.5
TE1508	2 * 1.5	8.0	15.5	6.4	7.5	2.6	2.3	Black		2,000	1.5
TE2513	2 * 2.5	13.0	21.5	8.0	8.5	3.3	2.9	Blue		1,500	2.0

Non-Insulated Cord End Terminals

ข้อต่อสายปลายสายแบบเดี่ยวเปลือย

- Terminals Material : Copper
- Plating : Tin plated




ITEM NO.	Wire Size (mm ²)	DIMENSION (mm.)				PCS/BAG	PCS/BOX	PRICE (BAHT)
		L	W	D	C			
EN0508	0.5	8.0	1.7	1.3	1.0	100	5,000	0.7
EN7508	0.75	8.0	1.9	1.5	1.2		5,000	0.7
EN1008	1.0	8.0	2.2	1.7	1.4		5,000	0.8
EN1508	1.5	8.0	2.5	2.0	1.7		5,000	0.8
EN2508	2.5	8.0	3.3	2.6	2.3		3,000	1.0
EN4012	4.0	12.0	3.9	3.2	2.8		2,000	1.5
EN6012	6.0	12.0	4.7	3.9	3.5		1,000	2.0
EN10-18	10.0	18.0	5.8	4.9	4.5		1,000	3.0
EN16-18	16.0	18.0	7.2	6.2	5.8		500	5.0
EN25-22	25.0	22.0	9.1	7.9	7.5		200	8.0
EN35-25	35.0	25.0	10.2	8.7	8.3		200	12.0
EN50-25	50.0	25.0	12.7	10.9	10.3		100	16.0

Insulated Pin Terminals

หัวเสียบก้านไม้ขีดแบบกลมหุ้ม

- Terminals Material : Copper
- Plating : Tin plated
- Insulation Material : Vinyl (PVC)




ITEM NO.	Wire Size (mm ²)	DIMENSION (mm.)							COLOR	PCS/BAG	PCS/BOX	PRICE (BAHT)
		W	F	L	H	d1	D	T				
PTV1.25-12	1.5	1.9	12.0	22.0	10.0	1.7	4.2	0.8	Red	100	2,500	1.0
PTV2-12	2.5	1.9	12.0	22.0	10.0	2.3	4.7	0.8	Blue		2,000	1.2
PTV5.5-13	6	2.8	13.0	26.0	13.0	3.4	6.5	1.0	Yellow		1,000	2.2

Insulated Blade Terminals

หัวเสียบก้านไม้ขีดแบบแบนหุ้ม

- Terminals Material : Copper
- Plating : Tin plated
- Insulation Material : Vinyl (PVC)




ITEM NO.	Wire Size (mm ²)	DIMENSION (mm.)							COLOR	PCS/BAG	PCS/BOX	PRICE (BAHT)
		W	F	L	H	d1	D	T				
DBV1.25-10	1.5	2.3	10.0	20.0	10.0	1.7	4.2	0.8	Red	100	2,500	1.5
DBV2-10	2.5	2.4	10.0	20.0	10.0	2.3	4.7	0.8	Blue		2,000	1.8
DBV5.5-10	6	2.8	10.0	23.0	13.0	3.4	6.5	1.0	Yellow		1,000	3.0

Insulated Female Disconnects

หัวเสียบตัวเมียแบบแบนหุ้ม

- Terminals Material : Brass
- Plating : Tin plated
- Insulation Material : Vinyl (PVC)




ITEM NO.	Wire Size (mm ²)	Nema Tab	DIMENSION (mm.)						COLOR	PCS/BAG	PCS/BOX	PRICE (BAHT)
			W	L	H	d1	D	T				
FDD1.25-250	1.5	0.8*6.35	7.5	21.0	10.0	1.7	3.7	0.4	Red	100	2,000	1.0
FDD2-250	2.5		7.5	21.0	10.0	2.3	4.3	0.4	Blue		2,000	1.0
FDD5.5-250	6		7.5	24.0	13.0	3.4	5.6	0.4	Yellow		1,000	1.5

Insulated Male Disconnects

หัวเสียบตัวผู้แบบแบนหุ้ม

- Terminals Material : Brass
- Plating : Tin plated
- Insulation Material : Vinyl (PVC)




ITEM NO.	Wire Size (mm ²)	Nema Tab	DIMENSION (mm.)						COLOR	PCS/BAG	PCS/BOX	PRICE (BAHT)
			W	L	H	d1	D	T				
MDD1.25-250	1.5	0.8*6.35	6.35	21.0	10.0	1.7	3.7	0.4	Red	100	2,000	1.0
MDD2-250	2.5		6.35	21.0	10.0	2.3	4.3	0.4	Blue		2,000	1.0
MDD5.5-250	6		6.35	25.0	13.0	3.4	5.6	0.4	Yellow		1,000	1.5

Fully-Insulated Female Disconnects

หัวเสียบตัวเมียแบบแบนหุ้มเต็ม

- Terminals Material : Brass
- Plating : Tin plated
- Insulation Material : Vinyl (PVC)




ITEM NO.	Wire Size (mm ²)	Nema Tab	DIMENSION (mm.)					COLOR	PCS/BAG	PCS/BOX	PRICE (BAHT)
			W	L	d1	D	T				
FDFD1.25-250	1.5	0.8*6.35	7.5	21.5	1.7	3.7	0.4	Red	100	1,000	2.5
FDFD2-250	2.5		7.5	21.5	2.3	4.2	0.4	Blue		1,000	2.5
FDFD5.5-250	6		7.5	25.0	3.4	5.6	0.4	Yellow		800	4.0

Insulated Bullet Male Connectors

หัวเสียบตัวผู้แบบกลมหุ้ม

- Terminals Material : Brass
- Plating : Tin plated
- Insulation Material : Vinyl (PVC)




ITEM NO.	Wire Size (mm ²)	DIMENSION (mm.)							COLOR	PCS/BAG	PCS/BOX	PRICE (BAHT)
		W	F	L	H	d1	D	T				
MPD1.25-156	1.5	4.0	9.0	21.0	10.0	1.7	3.8	0.4	Red	100	2,000	1.0
MPD2-195	2.5	5.0	9.0	21.0	10.0	2.3	4.3	0.4	Blue		2,000	1.2
MPD5.5-195	6	5.0	9.0	24.0	13.0	3.4	5.6	0.4	Yellow		1,000	1.5

Insulated Bullet Female Connectors

หัวเสียบตัวเมียแบบกลมหุ้ม

- Terminals Material : Brass
- Plating : Tin plated
- Insulation Material : Vinyl (PVC)




ITEM NO.	Wire Size (mm²)	DIMENSION (mm.)						COLOR	PCS/BAG	PCS/BOX	PRICE (BAHT)
		W	F	L	d1	D	T				
FRD1.25-156	1.5	3.9	13.0	23.3	1.7	3.8	0.4	Red	100	1,000	1.5
FRD2-195	2.5	4.9	14.0	23.3	2.3	4.3	0.4	Blue		1,000	1.8
FRD5.5-195	6	4.9	14.0	25.0	3.4	5.6	0.4	Yellow		800	2.0

Insulated Bullet Splice

ข้อต่อสายแบบย้าหุ้ม

- Terminals Material : Copper
- Plating : Tin plated
- Insulation Material : Vinyl (PVC)




ITEM NO.	Wire Size (mm ²)	DIMENSION (mm.)				Imax (A)	COLOR	PCS/BAG	PCS/BOX	PRICE (BAHT)
		L	L1	D	d1					
BV1.25	1.5	24.6	15.0	4.2	2.15	19.0	Red	100	1,000	1.4
BV2	2.5	24.6	15.0	4.7	2.75	27.0	Blue		1,000	1.7
BV5.5	6	26.0	15.0	6.3	4.25	48.0	Yellow		800	2.2

Closed-End Connectors

หัวต่อสายแบบหมวกหุ้ม

- Terminals Material : Copper
- Plating : Tin plated
- Insulation Material : Nylon




ITEM NO.	Wire Size (mm ²)	A mm.	B mm.	C mm.	PCS/BAG	PCS/BOX	PRICE (BAHT)
CE-1	1.25	18.0	6.2	2.6	100	2,000	1.5
CE-2	2.0	19.7	7.9	3.0		2,000	1.5
CE-5	5.5	25.5	10.5	4.0		1,000	3.0
CE-8	8.0	27.7	12.4	5.3		500	5.0

Wire Nut Connectors

สายหนีตสปริง

• Insulation Material : PVC




ITEM NO.	Wire Size (mm ²)	A mm.	B mm.	C mm.	COLOR	PCS/BAG	PCS/BOX	PRICE (BAHT)
P1	2.0	15.2	8.6	6.7	Grey	100	1,000	1.0
P2	2.0	17.6	9.8	7.4	Blue		800	1.0
P3	2.0	22.0	12.0	9.9	Orange		500	1.3
P4	5.5	24.5	14.0	11.0	Yellow		500	2.0
P5	8.0	26.5	16.4	13.0	Red		400	3.5

Terminal Sleeve

ปลอกสีหุ้มหางปลา

• Material : PVC




ITEM NO.	DIMENSION (mm.)							PCS/BAG	PRICE (BAHT)
	D1	D2	D3	L	F	B	T		
V1-2.5	2.8	3.3	3.1	13.0	6.0	7.0	0.6	100	0.30
V2	3.3	4.5	3.7	14.0	7.0	7.0	0.7	100	0.30
V3.5	4.2	5.7	4.1	17.0	9.0	8.0	0.8	100	0.42
V5.5	4.8	5.7	5.2	17.0	9.0	8.0	0.8	100	0.48
V8	6.2	7.2	6.2	19.0	10.0	9.0	1.0	100	0.60
V14	7.5	10.0	8.0	25.0	14.0	11.0	1.1	100	0.95
V22	10.5	12.0	9.5	30.0	15.0	15.0	1.2	100	1.50
V38	12.5	14.0	11.8	34.0	17.5	16.5	1.5	100	1.90
V60	15.0	16.8	13.5	39.0	20.0	19.0	1.5	100	3.00
V80	17.0	19.0	16.0	47.0	25.0	22.0	1.5	100	4.00
V100	19.0	22.0	18.0	54.0	30.0	24.0	1.6	50	5.40
V150	23.0	24.5	22.0	65.0	35.0	30.0	1.8	50	7.80
V200	27.0	32.0	24.0	65.0	35.0	30.0	2.0	50	9.50
V325	29.0	38.0	29.0	77.0	37.0	40.0	2.5	25	14.50

Copper Tube Terminals

หางปลา 2 ชั้น ทรงยุโรป

- Terminals Material : Copper
- Plating : Tin plated




ITEM NO.	Wire Size (mm ²)	DIMENSION (mm.)						PCS/BOX	PRICE (BAHT)
		d	E	D	W	B	L		
SC10-6	10	5.1	6.5	6.5	9.6	9.0	25.5	1,000	4.0
SC10-8			8.4		11.0		25.5		4.0
SC16-6	16	6.4	6.5	8.0	11.8	12.0	30.2	600	5.5
SC16-8			8.4		11.8		30.2		5.5
SC25-6	25	7.2	6.5	9.0	13.5	12.0	34.6	400	6.5
SC25-8			8.4		13.5		34.6		6.5
SC25-10			10.5		13.5		34.6		6.5
SC35-8	35	8.5	8.4	10.5	15.5	14.0	38.0	200	9.5
SC35-10			10.5		15.5		38.0		9.5
SC35-12			13.0		15.5		38.0		9.5
SC50-8	50	10.3	8.4	12.5	18.5	16.0	44.7	100	14.5
SC50-10			10.5		18.5		44.7		14.5
SC50-12			13.0		18.5		44.7		14.5
SC70-8	70	11.9	8.4	14.5	21.5	20.0	49.0	100	24.0
SC70-10			10.5		21.5		49.0		24.0
SC70-12			13.0		21.5		49.0		24.0
SC95-8	95	14.2	8.4	17.0	25.0	23.0	55.0	50	37.0
SC95-10			10.5		25.0		55.0		37.0
SC95-12			13.0		25.0		55.0		37.0
SC120-10	120	15.6	10.5	19.0	27.5	22.0	61.5	50	50.0
SC120-12			13.0						50.0
SC120-14			15.0						50.0
SC120-16			17.0						50.0
SC150-10	150	17.0	10.5	21.0	30.5	26.0	67.1	40	68.0
SC150-12			13.0						68.0
SC150-14			15.0						68.0
SC150-16			17.0						68.0
SC185-12	185	19.0	13.0	23.0	33.2	32.0	76.5	25	100.0
SC185-14			15.0						100.0
SC185-16			17.0						100.0
SC240-12	240	21.2	13.0	26.0	37.5	38.0	85.0	20	160.0
SC240-14			15.0						160.0
SC240-16			17.0						160.0
SC300-12	300	24.0	13.0	30.0	42.7	42.0	100.0	20	200.0
SC300-14			15.0						200.0
SC300-16			17.0						200.0
SC300-20			21.0						200.0
SC400-14	400	28.0	15.0	34.0	51.0	44.0	112.0	10	290.0
SC400-16			17.0						290.0
SC400-20			21.0						290.0

Nylon Cable Gland

ไนลอนเคเบิลเกลน

- Material : Nylon Plastic
- Hermetic Seal : Nitrile Rubber
- Protection Degree : IP68
- Ambient Temperature : -40°C - 100°C
- Color : Grey, Black




ITEM NO.	Cable Range mm.	L2 mm.	L1 mm.	L mm.	Spanner Size mm.	PCS/BAG	PRICE (BAHT)
PG7	3-6.5	12	9	22	16	100	6
PG9	4-8	15.5	9	24	18	100	7
PG11	5-10	18	9	26	23	100	8
PG13.5	6-11	20.5	9	28	23	100	10
PG16	10-13	22.5	10	30	27	100	13
PG19	12-15	24	10	30	27	100	14
PG21	13-18	28	12	34	33	100	18
PG25	16-21	30	12	36	35	50	22
PG29	18-25	36	12	38	42	50	29
PG36	22-32	45.5	15	42	52	20	50
PG42	32-38	49.5	18	46	58	20	65
PG48	37-44	58	18	50	64	20	80
PG63	42-50	-	27	60	72	10	140
M12×1.5	3-6.5	12	9	22	16	100	6
M16×1.5	4-8	16	9	24	18	100	7
M20×1.5	6-11	20	9	28	23	100	10
M24×1.5	12-15	24	10	30	27	100	14
M27×1.5	13-18	27	12	34	33	100	18
M36×1.5	18 - 25	36	12	38	42	50	29
M40×1.5	22-32	40	15	42	53	20	49
M50×1.5	32-38	50	18	46	58	20	64
M63×1.5	37-44	63	18	50	65	20	140


Aluminium Din Rail 1 m.

รางอลูมิเนียมปีกนกยาว 1 เมตร

- Material : Aluminium




DIN RAIL	
Length (mm)	1000
Length of Holes (mm)	15
Material	Aluminium
Packing Unit/Box	100
Price Per Unit (Baht)	55



Metal Cable Gland

เคเบิลเกลนทองเหลืองชุบนิกเกิล

- Material : Brass Nickle-Plated
- Hermetic Seal : Nitrile Rubber
- Protection Degree : IP68
- Ambient Temperature : -40°C - 100°C




ITEM NO.	Cable Range mm.	L2 mm.	L1 mm.	L mm.	Spanner Size mm.	PCS/BAG	PRICE (BAHT)
PG7	3-6.5	12.5	5	19	14	100	55
PG9	4-8	15.2	6	20	17	100	65
PG11	5-10	18.6	6	21	20	100	70
PG13.5	6-12	20.4	6.5	22	22	100	80
PG16	10-14	22.5	6.5	23	24	100	95
PG21	13-18	28.3	7	25	30	100	150
PG29	18-25	37.0	8	29	40	50	250
PG36	22-32	47.0	8	35	50	20	450
PG42	32-38	54.0	9	37	57	20	750
PG48	37-44	59.3	10	38	64	20	1,100
M12×1.5	3-6.5	12.5	5	19	14	100	55
M16×1.5	4-8	15.2	6	20	17	100	65
M18×1.5	5-10	18.6	6	21	20	100	70
M20×1.5	6-12	20.4	6.5	22	22	100	80
M22×1.5	10-14	22.5	6.5	23	24	100	95
M25×1.5	13-18	28.3	7	25	30	100	150
M32×1.5	18-25	37.0	8	29	40	50	250
M40×1.5	22-32	47.0	8	35	50	20	450
M50×1.5	32-38	54.0	9	37	57	20	750
M63×1.5	37-44	59.3	10	38	64	20	1,100


Steel Din Rail 1 m.

รางเหล็กปีกนกยาว 1 เมตร

- Material : Steel



DIN RAIL	
Length (mm)	1000
Length of Holes (mm)	15
Material	Color-Zinc Coated CR-Steel
Packing Unit/Box	100
Price Per Unit (Baht)	55



- AC Input : 110/220V
- Protection : Short Circuit / Over Load / Over Voltage
- LED Indicator for Power On
- Low cost
- 1 year warranty



MODEL	POWER (W)	SIZE (mm)	OUTPUT (V)	OUTPUT (A)	COOLING BY	PRICE (BAHT)
DRS-35-12	35	99×83×30	12	3.0	Free Air	400
DRS-35-24	35	99×83×30	24	1.5	Free Air	400
DRS-50-12	50	99×83×30	12	4.2	Free Air	490
DRS-50-24	50	99×83×30	24	2.2	Free Air	490
DRS-75-12	75	104×97×30	12	6.0	Free Air	540
DRS-75-24	75	104×97×30	24	3.2	Free Air	540
DRS-100-12	100	134×97×30	12	8.5	Free Air	750
DRS-100-24	100	134×97×30	24	4.5	Free Air	750
DRS-150-12	150	162×97×30	12	12.5	Free Air	850
DRS-150-24	150	162×97×30	24	6.5	Free Air	850
DRS-200-12	200	215×115×30	12	17.0	Free Air	1,250
DRS-200-24	200	215×115×30	24	8.8	Free Air	1,250
DRS-350-12	350	215×115×30	12	29	Fan	1,400
DRS-350-24	350	215×115×30	24	14.6	Fan	1,400



|주| 세기비즈
SEGIBIZ CO., LTD
ELECTRIC TECHNOLOGY

ABS Terminal Boxes



MODEL	SIZE (mm)	PRICE (BAHT)
SG-TB-4P	85×50×40	300
SG-TB-4P15	90×45×45	320
SG-TB-4PT	65×65×45	320
SB-TB-6P	85×55×40	400
SG-TB-6P15	90×65×45	440
SG-TB-6PT	80×65×40	400
SB-TB-10P15	90×100×45	520
SG-TB-10PT	110×65×45	460

• Base Color : Ivory / Gray
• Cover Color : Ivory / Gray

• Terminal : P/PT 10A
: P15 15A

MODEL	SIZE (mm)	PRICE (BAHT)
SG-TB-15P15	200×100×65	820
SG-TB-15PT	170×75×55	820
SG-TB-20P15	160×150×65	950
SB-TB-20PT	235×80×56	1,050
SG-TB-30P	125×190×65	1,250
SG-TB-40P	160×260×90	2,150
SB-TB-50P	160×260×90	2,450



|주| 세기비즈
SEGIBIZ CO., LTD
ELECTRIC TECHNOLOGY

Aluminium Terminal Boxes



MODEL	SIZE (mm)	PRICE (BAHT)
SG-AL-4P	61×71×48	1,050
SG-AL-6P	70×93×52	1,150
SG-AL-10P	70×128×52	1,450
SB-AL-12P	110×110×52	1,700
SG-AL-15P	70×172×54	1,850

• Base Color : Gray
• Cover Color : Gray

MODEL	SIZE (mm)	PRICE (BAHT)
SG-AL-20P	125×145×62	2,000
SG-AL-20PT	265×80×80	2,700
SG-AL-30P	125×190×80	2,850
SB-AL-40P	160×260×90	4,100
SG-AL-50P	230×330×120	10,250



|주| 세기비즈
SEGIBIZ CO., LTD
ELECTRIC TECHNOLOGY

ABS Junction Boxes




MODEL	SIZE (mm)	PRICE (BAHT)
SG-JB-230805	235×80×56	550
SG-JB-121906	125×190×65	950
SG-JB-162609	160×260×90	1,500

- Base Color : Ivory / Gray
- Cover Color : Ivory / Gray



|주| 세기비즈
SEGIBIZ CO., LTD
ELECTRIC TECHNOLOGY

Aluminum Junction Boxes



MODEL	SIZE (mm)	PRICE (BAHT)
SG-AL-6171-48	61×71×48	950
SG-AL-7093-52	70×93×52	990
SG-AL-1270-52	70×128×52	1,170
SG-AL-1111-52	110×110×53	1,370
SG-AL-1770-55	70×172×54	1,480
SG-AL-1214-62	125×145×62	1,750
SG-AL-8023-08	80×235×80	2,200

MODEL	SIZE (mm)	PRICE (BAHT)
SG-AL-1219-08	125×190×80	2,500
SG-AL-1212-08	120×120×80	1,950
SG-AL-1222-09	125×223×90	2,900
SG-AL-1616-09	160×160×90	2,600
SG-AL-1626-09	161×263×90	3,100
SG-AL-2333-12	230×330×120	8,350
SG-AL-2333-18	230×330×180	9,700



|주| 세기비즈
SEGIBIZ CO., LTD
ELECTRIC TECHNOLOGY

PVC Push Button Boxes



MODEL	SIZE (mm)	PRICE (BAHT)
SG-PB-0001 No Hole	90×80×70	500
SG-PB-2201		500
SG-PB-2501		500
SG-PB-3001		500
SG-PB-2203	180×80×70	700
SG-PB-2503		700
SG-PB-3003		700

- Base Color : Black
- Cover Color : Ivory

MODEL	SIZE (mm)	PRICE (BAHT)
SG-PB-0002 No Hole	135×80×70	600
SG-PB-2202		600
SG-PB-2502		600
SG-PB-3002		600
SG-PB-2204	220×80×70	800
SG-PB-2504		800
SG-PB-3004		800



|주| 세기비즈
SEGIBIZ CO., LTD
ELECTRIC TECHNOLOGY

Alumimun Push Button Boxes



MODEL	SIZE (mm)	PRICE (BAHT)
SG-CB-0001 No Hole	80×90×70	1,000
SG-CB-2201		1,000
SG-CB-2501		1,000
SG-CB-3001		1,000
SG-CB-0003 No Hole	80×180×70	1,200
SG-CB-2203		1,200
SG-CB-2503		1,200
SG-CB-3003		1,200

- Base Color : Black
- Cover Color : White

MODEL	SIZE (mm)	PRICE (BAHT)
SG-CB-0002 No Hole	80×135×70	1,100
SG-CB-2202		1,100
SG-CB-2502		1,100
SG-CB-3002		1,100
SG-CB-0004 No Hole	80×220×70	1,300
SG-CB-2204		1,300
SG-CB-2504		1,300
SG-CB-3004		1,300



บริษัท เอ็ม.ที.เอส. อินดัสเทรียล พาร์ท จำกัด
M.T.S. INDUSTRIAL PART CO.,LTD.

12 ซอยร่มเกล้า 25/3 แขวงคลองสามประเวศ
เขตลาดกระบัง กรุงเทพฯ 10520
โทรศัพท์ : 0-2737-9048 , 92 โทรสาร : 0-27379049
Website : www.mts-industrial.com
Email : sales@mts-industrial.com
ID Line : @mts-indust

